Moses Lake Irrigation & Rehabilitation District
YSI - ProDSS (Rental Unit) - 08/02/23 Data

DATE	TIME	SITE	Barometer (mmHg)	Barometer (mbars)	Barometer (Atm)	Barometer (inHg)	Barometer (kPa)	Barometer (psi)	Temp [illegible]	Cond [illegible] (mS/cm)	Sp Cond [illegible] (mS/cm)	Sal (psu)	nLFCond [illegible] (mS/cm)	TDS (mg/L)	Temp [illegible]	Temp (K)	Cond (mS/cm)	Resistivity (ohms-cm)	Sp Cond (mS/cm)	Sal (ppt)	Sigma-T (s t)	Sigma (s)	nLFCond (mS/cm)	TDS (g/L)	TDS (Kg/L)	Turbidity (FNU)	TSS (mg/L)	Turbidity (NTU)	TSS (g/L)	ODO (% Sat)	ODO (mg/L)	ODO (% LocalB)	ODO (ppm)	pH	pH (mV)	ORP (mV)
8/2/2023	8:55:47 AM	TS-12 (0.5m)	753.3	1004.3	0.991	19134.328	100.43	14.567	24.7	197.7	198.9	0.09	199.1	129	76.4	297.8	0.1977	5057.66	0.199	0.09	-2.8	-2.8	0.199	0	0	6.58	0	6.58	0	132.1	10.97	133.3	10.97	8.7	-130.3	71.6
		MEAN VALUE:	753.2	1004.3	0.991	19132.551	100.43	14.565	25.2	200.2	199.6	0.09	199.5	130	77.3	298.3	0.2002	4994.26	0.2	0.09	-2.9	-2.9	0.2	0	0	5.93	0	5.93	0	141.5	11.65	142.8	11.65	NA	-128.57	74.2
8/2/2023	8:56:13 AM	TS-12 (1.5m)	753.2	1004.3	0.991	19132.551	100.43	14.565	24.8	200.7	199.6	0.09	199.5	130	77.3	298.3	0.2002	4994.26	0.2	0.09	-2.9	-2.9	0.2	0	0	5.93	0	5.93	0	141.1	11.68	142.8	11.65	8.7	-128.57	74.2
		MEAN VALUE:	753.2	1004.3	0.991	19132.551	100.43	14.565	24.8	200.7	201.4	0.09	201.5	131	76.7	298	0.2007	4981.82	0.201	0.09	-2.8	-2.8	0.202	0	0	6.67	0	6.67	0	142.2	11.78	143.5	11.78	8.7	-126.73	75.1
8/2/2023	8:56:27 AM	TS-12 (2.5m)	753.2	1004.3	0.991	19132.551	100.43	14.565	24.8	200.7	201.4	0.09	201.5	131	76.7	298	0.2007	4981.82	0.201	0.09	-2.8	-2.8	0.202	0	0	6.67	0	6.67	0	142.2	11.78	143.5	11.78	8.7	-126.73	75.1
		MEAN VALUE:	753.3	1004.3	0.991	19134.328	100.43	14.567	24.4	203.7	206	0.1	206.3	134	75.9	297.6	0.2037	4908.94	0.206	0.1	-2.7	-2.7	0.206	0	0	7.72	0	7.72	0	134.7	11.24	135.9	11.24	NA	-115.27	76.2
8/2/2023	8:56:35 AM	TS-12 (3.5m)	753.3	1004.3	0.991	19134.328	100.43	14.567	24.4	203.7	206	0.1	206.3	134	75.9	297.6	0.2037	4908.94	0.206	0.1	-2.7	-2.7	0.206	0	0	7.72	0	7.72	0	134.7	11.24	135.9	11.24	8.5	-115.27	76.2
		MEAN VALUE:	753.6	1004.7	0.992	19141.947	100.47	14.573	25.6	203.9	201.5	0.09	201.3	131	78.1	298.8	0.2039	4904.36	0.202	0.09	-3	-3	0.201	0	0	6.24	0	6.24	0	131.4	10.73	132.5	10.73	NA	-116.18	127.8
8/2/2023	9:12:13 AM	TS-11 (0.5m)	753.6	1004.7	0.992	19141.947	100.47	14.573	25.6	203.9	201.5	0.09	201.3	131	78.1	298.8	0.2039	4904.36	0.202	0.09	-3	-3	0.201	0	0	6.24	0	6.24	0	131.4	10.73	132.5	10.73	8.5	-116.18	127.8
		MEAN VALUE:	753.5	1004.7	0.992	19140.17	100.47	14.571	25.7	205	202.1	0.09	201.8	131	78.3	298.9	0.205	4878.52	0.202	0.09	-3.1	-3.1	0.202	0	0	5.82	0	5.82	0	132.9	10.83	134	10.83	NA	-115	127.8
8/2/2023	9:12:29 AM	TS-11 (1.5m)	753.5	1004.7	0.992	19140.17	100.47	14.571	25.7	205	202.1	0.09	201.8	131	78.3	298.9	0.205	4878.52	0.202	0.09	-3.1	-3.1	0.202	0	0	5.82	0	5.82	0	132.9	10.83	134	10.83	8.5	-115	127.8
		MEAN VALUE:	753.5	1004.7	0.992	19140.17	100.47	14.571	25.4	205.1	203.5	0.1	203.3	132	77.8	298.6	0.2051	4876.38	0.203	0.1	-3	-3	0.203	0	0	6.2	0	6.2	0	126	10.32	127.1	10.32	NA	-113.48	127.2
8/2/2023	9:12:43 AM	TS-11 (2.5m)	753.5	1004.7	0.992	19140.17	100.47	14.571	25.4	205.1	203.5	0.1	203.3	132	77.8	298.6	0.2051	4876.38	0.203	0.1	-3	-3	0.203	0	0	6.2	0	6.2	0	126	10.32	127.1	10.32	8.5	-113.48	127.2
		MEAN VALUE:	753.6	1004.7	0.992	19141.947	100.47	14.573	24.3	223.6	226.8	0.11	227.1	147	75.7	297.4	0.2236	4471.47	0.227	0.11	-2.7	-2.7	0.227	0	0	6.64	0	6.64	0	71.5	5.99	72.1	5.99	NA	-78.4	131.6
8/2/2023	9:13:04 AM	TS-11 (3.5m)	753.6	1004.7	0.992	19141.947	100.47	14.573	24.3	223.6	226.8	0.11	227.1	147	75.7	297.4	0.2236	4471.47	0.227	0.11	-2.7	-2.7	0.227	0	0	6.64	0	6.64	0	71.5	5.99	72.1	5.99	7.9	-78.4	131.6
		MEAN VALUE:	753.5	1004.7	0.992	19140.17	100.47	14.571	24.2	225.9	229.5	0.11	229.9	149	75.5	297.3	0.2259	4426.54	0.23	0.11	-2.7	-2.7	0.23	0	0	8.09	0	8.09	0	44.1	3.7	44.5	3.7	NA	-65.51	135.6
8/2/2023	9:13:16 AM	TS-11 (4.5m)	753.5	1004.7	0.992	19140.17	100.47	14.571	24.2	225.9	229.5	0.11	229.9	149	75.5	297.3	0.2259	4426.54	0.23	0.11	-2.7	-2.7	0.23	0	0	8.09	0	8.09	0	44.1	3.7	44.5	3.7	7.6	-65.51	135.6
		MEAN VALUE:	753.5	1004.7	0.992	19140.17	100.47	14.571	23.8	229.5	234.9	0.11	235.5	153	74.8	296.9	0.2295	4357.3	0.235	0.11	-2.6	-2.6	0.235	0	0	6.94	0	6.94	0	20.7	1.74	20.8	1.74	NA	-54.57	115.3
8/2/2023	9:13:30 AM	TS-11 (5.5m)	753.5	1004.7	0.992	19140.17	100.47	14.571	23.8	229.5	234.9	0.11	235.5	153	74.8	296.9	0.2295	4357.3	0.235	0.11	-2.6	-2.6	0.235	0	0	6.94	0	6.94	0	20.7	1.74	20.8	1.74	7.4	-54.57	115.3
		MEAN VALUE:	753.6	1004.7	0.992	19141.947	100.47	14.573	24.8	210.7	211.7	0.1	211.8	138	76.6	297.9	0.2107	4744.96	0.212	0.1	-2.8	-2.8	0.212	0	0	5.04	0	5.04	0	113.4	9.4	114.3	9.4	NA	-101.94	133.3
8/2/2023	9:35:07 AM	TS-15 (0.5m)	753.6	1004.7	0.992	19141.947	100.47	14.573	24.8	210.7	211.7	0.1	211.8	138	76.6	297.9	0.2107	4744.96	0.212	0.1	-2.8	-2.8	0.212	0	0	5.04	0	5.04	0	113.4	9.4	114.3	9.4	8.3	-101.94	133.3
		MEAN VALUE:	753.5	1004.7	0.992	19140.17	100.47	14.571	24.9	213.8	214.1	0.1	214.1	139	76.9	298.1	0.2138	4676.39	0.214	0.1	-2.9	-2.9	0.214	0	0	5.22	0	5.22	0	112.9	9.34	113.9	9.34	NA	-99.37	132.5
8/2/2023	9:35:34 AM	TS-15 (1.5m)	753.5	1004.7	0.992	19140.17	100.47	14.571	24.9	213.8	214.1	0.1	214.1	139	76.9	298.1	0.2138	4676.39	0.214	0.1	-2.9	-2.9	0.214	0	0	5.22	0	5.22	0	112.9	9.34	113.9	9.34	8.2	-99.37	132.5
		MEAN VALUE:	753.5	1004.7	0.992	19140.17	100.47	14.571	25	214.2	214.2	0.1	214.2	139	77	298.1	0.2142	4667.44	0.214	0.1	-2.9	-2.9	0.214	0	0	5.13	0	5.13	0	112.9	9.32	113.9	9.32	NA	-99.74	130.4
8/2/2023	9:35:53 AM	TS-15 (2.5m)	753.5	1004.7	0.992	19140.17	100.47	14.571	25	214.2	214.2	0.1	214.2	139	77	298.1	0.2142	4667.44	0.214	0.1	-2.9	-2.9	0.214	0	0	5.13	0	5.13	0	112.9	9.32	113.9	9.32	8.2	-99.74	130.4
		MEAN VALUE:	753.5	1004.7	0.992	19140.17	100.47	14.571	24.3	218	220.9	0.1	221.2	144	75.8	297.5	0.218	4587.58	0.221	0.1	-2.7	-2.7	0.221	0	0	4.73	0	4.73	0	66.4	5.55	67	5.55	NA	-71.4	130.9
8/2/2023	9:36:14 AM	TS-15 (3.5m)	753.5	1004.7	0.992	19140.17	100.47	14.571	24.3	218	220.9	0.1	221.2	144	75.8	297.5	0.218	4587.58	0.221	0.1	-2.7	-2.7	0.221	0	0	4.73	0	4.73	0	66.4	5.55	67	5.55	7.7	-71.4	130.9
		MEAN VALUE:	753.5	1004.7	0.992	19140.17	100.47	14.571	23.8	222.2	227.7	0.11	228.2	148	74.8	296.9	0.2222	4499.64	0.228	0.11	-2.6	-2.6	0.228	0	0	3.17	0	3.17	0	47.7	4.04	48.1	4.04	NA	-58.88	135.6
8/2/2023	9:36:34 AM	TS-15 (4.5m)	753.5	1004.7	0.992	19140.17	100.47	14.571	23.8	222.2	227.7	0.11	228.2	148	74.8	296.9	0.2222	4499.64	0.228	0.11	-2.6	-2.6	0.228	0	0	3.17	0	3.17	0	47.7	4.04	48.1	4.04	7.5	-58.88	135.6
		MEAN VALUE:	753.5	1004.5	0.991	19138.139	100.45	14.57	23.4	224	230.9	0.11	231.6	150	74.2	296.6	0.224	4463.69	0.231	0.11	-2.5	-2.5	0.232	0	0	2.84	0	2.84	0	27.1	2.3	27.3	2.3	NA	-48.55	138.2
8/2/2023	9:36:51 AM	TS-15 (5.5m)	753.5	1004.5	0.991	19138.139	100.45	14.57	23.4	224	230.9	0.11	231.6	150	74.2	296.6	0.224	4463.69	0.231	0.11	-2.5	-2.5	0.232	0	0	2.84	0	2.84	0	27.1	2.3	27.3	2.3	8	-48.55	138.2
		MEAN VALUE:	753.5	1004.7	0.992	19140.17	100.47	14.571	22.2	235.1	248.2	0.12	249.5	161	72	295.4	0.2351	4254.23	0.248	0.12	-2.2	-2.2	0.249	0	0	4.98	0	4.98	0	13	1.13	13.1	1.13	NA	-35.45	-135.9
8/2/2023	9:37:13 AM	TS-15 (6.5m)	753.5	1004.7	0.992	19140.17	100.47	14.571	22.2	235.1	248.2	0.12	249.5	161	72	295.4	0.2351	4254.23	0.248	0.12	-2.2	-2.2	0.249	0	0	4.98	0	4.98	0	13	1.13	13.1	1.13	7.1	-35.45	-135.9
		MEAN VALUE:	753.6	1004.7	0.992	19141.947	100.47	14.573	24.3	214.7	217.8	0.1	218.1	142	75.7	297.4	0.2147	4657.44	0.218	0.1	-2.7	-2.7	0.218	0	0	2.24	0	2.24	0	129.6	10.85	130.7	10.85	NA	-100.91	79.7
8/2/2023	10:03:13 AM	TS-4 (0.5m)	753.6	1004.7	0.992	19141.947	100.47	14.573	24.3	214.7	217.8	0.1	218.1	142	75.7	297.4	0.2147	4657.44	0.218	0.1	-2.7	-2.7	0.218	0	0	2.24	0	2.24	0	129.6	10.85	130.7	10.85	8.2	-100.91	79.7
		MEAN VALUE:	753.7	1004.9	0.992	19143.98	100.49	14.574	24.2	220.9	224.3	0.11	224.6	146	75.6	297.4	0.2209	4527.14	0.224	0.11	-2.7	-2.7	0.225	0	0	3.92	0	3.92	0	125	10.48	126.1	10.48	NA	-114.44	88.2
8/2/2023	10:26:11 AM	TS-5 (0.5m)	753.7	1004.9	0.992	19143.98	100.49	14.574	24.2	220.9	224.3	0.11	224.6	146	75.6	297.4	0.2209	4527.14	0.224	0.11	-2.7	-2.7	0.225	0	0	3.92	0	3.92	0	125	10.48	126.1	10.48	8.5	-114.44	88.2
		MEAN VALUE:	753.7	1004.9	0.992	19143.98	100.49	14.574	24.5	223.1	225.2	0.11	225.4	146	76.1	297.8	0.2231	4482.7	0.225	0.11	-2.7	-2.7	0.225	0	0	3.44	0	3.44	0	128.1	10.68	129.1	10.68	NA	-111.81	90.2
8/2/2023	10:26:27 AM	TS-5 (1.5m)	753.7	1004.9	0.992	19143.98	100.49	14.574	24.5	223.1	225.2	0.11	225.4	146	76.1	297.8	0.2231	4482.7	0.225	0.11	-2.7	-2.7	0.225	0	0	3.44	0	3.44	0	128.1	10.68	129.1	10.68	8.4	-111.81	90.2
		MEAN VALUE:	753.8	1004.9	0.992	19145.758	100.49	14.575	24.5	223	225	0.11	225.3	146	76.1	297.7	0.223	4484.71	0.225	0.11	-2.7	-2.7	0.225	0	0	3.32	0	3.32	0	128.7	10.73	129.8	10.73	NA	-110.2	91
8/2/2023	10:26:39 AM	TS-5 (2.5m)	753.8	1004.9	0.992	19145.758	100.49	14.575	24.5	223	225	0.11	225.3	146	76.1	297.7	0.223	4484.71	0.225	0.11	-2.7	-2.7	0.225	0	0	3.32	0	3.32	0	128.7	10.73	129.8	10.73	8.4	-110.2	91
		MEAN VALUE:	753.7	1004.9	0.992	19143.98	100.49	14.574	23.1	203.5	211.1	0.1	211.8	137	73.6	296.3	0.2035	4912.8	0.211	0.1	-2.4	-2.4	0.212	0	0	4.62	0	4.62	0	106.7	9.13	107.6	9.13	NA	-89.38	92.4
8/2/2023	10:26:58 AM	TS-5 (3.5m)	753.7	1004.9	0.992	19143.98	100.49	14.574	23.1	203.5	211.1	0.1	211.8	137	73.6	296.3	0.2035	4912.8	0.211	0.1	-2.4	-2.4	0.212	0	0	4.62	0	4.62	0	106.7	9.13	107.6	9.13	8	-89.38	92.4
		MEAN VALUE:	753.7	1004.9	0.992	19143.98	100.49	14.574	22.4	185.6	195.1	0.09	196.1	127	72.4	295.6	0.1856	5388.22	0.195	0.09	-2.3	-2.3	0.196	0	0	6.14	0	6.14	0	99	8.58	99.8	8.58	NA	-76.62	96
8/2/2023	10:27:26 AM	TS-5 (4.5m)	753.7	1004.9	0.992	19143.98	100.49	14.574	22.4	185.6	195.1	0.09	196.1	127	72.4	295.6	0.1856	5388.22	0.195	0.09	-2.3	-2.3	0.196	0	0	6.14	0	6.14	0	99	8.58	99.8	8.58	7.8	-76.62	96
		MEAN VALUE:	753.6	1004.7	0.992	19141.947	100.47	14.573	23.6	213.6	216.5	0.1	216.8	141	75.7	297.4	0.2136	4681.87	0.217	0.1	-2.7	-2.7	0.217	0	0	1.21	0	1.21	0	108.1	9.04	109.1	9.04	NA	-116.95	81.7
8/2/2023	10:46:59 AM	TS-6 (0.5m)	753.6	1004.7	0.992	19141.947	100.47	14.573	23.6	213.6	216.5	0.1	216.8	141	75.7	297.4	0.2136	4681.87	0.217	0.1	-2.7	-2.7	0.217	0	0	1.21	0	1.21	0	108.1	9.04	109.1	9.04	8.5	-116.95	81.7
		MEAN VALUE:	753.6	1004.7	0.992	19141.947	100.47	14.573	24.6	216.4	218.3	0.1	218.5	142	76.2	297.7	0.2164	4620.86	0.218	0.1	-2.8	-2.8	0.218	0	0	1.63	0	1.63	0	107.8	8.99	108.8	8.99	NA	-114.47	83.3
8/2/2023	10:47:12 AM	TS-6 (1.5m)	753.6	1004.7	0.992	19141.947	100.47	14.573	24.6	216.4	218.3	0.1	218.5	142	76.2	297.7	0.2164	4620.86	0.218	0.1	-2.8	-2.8	0.218	0	0	1.63	0	1.63	0	107.8	8.99	108.8	8.99	8.5	-114.47	83.3
		MEAN VALUE:	753.7	1004.9	0.992	19143.98	100.49	14.574	24.6	216.8	218.3	0.1	218.5	142	76.3	297.8	0.2168	4613.18	0.218	0.1	-2.8	-2.8	0.218	0	0	1.42	0	1.42	0	107.1	8.91	108	8.91	NA	-113.95	83.5
8/2/2023	10:47:19 AM	TS-6 (2.5m)	753.7	1004.9	0.992	19143.98	100.49	14.574	24.6	216.8	218.3	0.1	218.5	142	76.3	297.8	0.2168	4613.18	0.218	0.1	-2.8	-2.8	0.218	0	0	1.42	0	1.42	0	107.1	8.91	108	8.91	8.5	-113.95	83.5
		MEAN VALUE:	753.6	1004.7	0.992	19141.947	100.47	14.573	24.7	217.2	218.5	0.1	218.6	142	76.5	297.9	0.2172	4603.2	0.218	0.1	-2.8	-2.8	0.219	0	0	1.83	0	1.83	0	106.5	8.85	107.4	8.85	NA	-113.23	83.3
8/2/2023	10:47:30 AM	TS-6 (3.5m)	753.6	1004.7	0.992	19141.947	100.47	14.573	24.7	217.2	218.5	0.1	218.6	142	76.5	297.9	0.2172	4603.2	0.218	0.1	-2.8	-2.8	0.219	0	0	1.83	0	1.83	0	106.5	8.85	107.4	8.85	8.5	-113.23	83.3
		MEAN VALUE:	753.6	1004.7	0.992	19141.947	100.47	14.573	24.7	217.3	218.5	0.1	218.6	142	76.5	297.9	0.2173	4602.99	0.218	0.1	-2.8	-2.8	0.219	0	0	1.99	0	1.99	0	106	8.8	106.9	8.8	NA	-113.49	82.3
8/2/2023	10:47:42 AM	TS-6 (4.5m)	753.6	1004.7	0.992	19141.947	100.47	14.573	24.7	217.3	218.5	0.1	218.6	142	76.5	297.9	0.2173	4602.99	0.218	0.1	-2.8	-2.8	0.219	0	0	1.99	0	1.99	0	106	8.8	106.9	8.8	8.5	-113.49	82.3
		MEAN VALUE:	753.7	1004.9	0.992	19143.98	100.49	14.574	24.3	217.5	220.7	0.1	221	143	75.7	297.4	0.2175	4597.07	0.221	0.1	-2.7	-2.7	0.221	0	0	3.86	0	3.86	0	82.4	6.9	83.1	6.9	NA	-98.98	82.1
8/2/2023	10:48:00 AM	TS-6 (5.5m)	753.7	1004.9	0.992	19143.98	100.49	14.574	24.3	217.5	220.7	0.1	221	143	75.7	297.4	0.2175	4597.07	0.221	0.1	-2.7	-2.7	0.221	0	0	3.86	0	3.86	0	82.4	6.9	83.1	6.9	8.2	-98.98	82.1
		MEAN VALUE:	753.6	1004.7	0.992	19141.947	100.47	14.573	23.7	216.9	222.5	0.1	223.1	145	74.6	296.8	0.2169	4609.57	0.223	0.1	-2.5	-2.5	0.223	0	0	3.14	0	3.14	0	62.7	5.3	63.2	5.3	NA	-89.6	83.2
8/2/2023	10:48:14 AM	TS-6 (6.5m)	753.6	1004.7	0.992	19141.947	100.47	14.573	23.7	216.9	222.5	0.1	223.1	145	74.6	296.8	0.2169	4609.57	0.223	0.1	-2.5	-2.5	0.223	0	0	3.14	0	3.14	0	62.7	5.3	63.2	5.3	8	-89.6	83.2
		MEAN VALUE:	753.7	1004.9	0.992	19143.98	100.49	14.574	23.2	218.1	225.9	0.11	226.6	147	73.8	296.4	0.2181	4584.84	0.226	0.11	-2.4	-2.4	0.227	0	0	2.52	0	2.52	0	42.6	3.64	43	3.64	7.8	-77.12	84.1
8/2/2023	10:48:26 AM	TS-6 (7.5m)	753.7	1004.9	0.992	19143.98	100.49	14.574	23.2	218.1	225.9	0.11	226.6	147	73.8	296.4	0.2181	4584.84	0.226	0.11	-2.4	-2.4	0.227	0	0	2.52	0	2.52	0	42.6	3.64	43	3.64	7.8	-77.12	84.1
		MEAN VALUE:	753.6	1004.7	0.992	19141.947	100.47	14.573	22.6	219.1	229.5	0.11	230.5	149	72.8	295.8	0.2191	4563.71	0.229	0.11	-2.3	-2.3	0.231	0	0	1.92	0	1.92	0	20	1.73	20.2	1.73	NA	-67.57	85.7
8/2/2023	10:48:42 AM	TS-6 (8.5m)	753.6	1004.7	0.992	19141.947	100.47	14.573	22.6	219.1	229.5	0.11	230.5	149	72.8	295.8	0.2191	4563.71	0.229	0.11	-2.3	-2.3	0.231	0	0	1.92	0	1.92	0	20	1.73	20.2	1.73	7.7	-67.57	85.7
		MEAN VALUE:	753.7	1004.9	0.992	19143.98	100.49	14.574	18.3	220.7	253.2	0.12	256	165	64.9	291.4	0.2207	4530.42	0.253	0.12	-1.4	-1.4	0.256	0	0	7.29	0	7.29	0	12.7	1.19	12.8	1.19	NA	-49.85	-175.9
8/2/2023	10:49:00 AM	TS-6 (9.5m)	753.7	1004.9	0.992	19143.98	100.49	14.574	18.3	220.7	253.2	0.12	256	165	64.9	291.4	0.2207	4530.42	0.253	0.12	-1.4	-1.4	0.256	0	0	7.29	0	7.29	0	12.7	1.19	12.8	1.19	7.4	-49.85	-175.9
		MEAN VALUE:	753.8	1004.9	0.992	19145.758	100.49	14.575	24.8	219.1	219.9	0.1	220	143	76.7	298	0.2191	4563.71	0.22	0.1	-2.8	-2.8	0.22	0	0	2	0	2	0	116.6	9.66	117.6	9.66	NA	-118.32	51.1
8/2/2023	11:16:23 AM	TS-7	753.8	1004.9	0.992	19145.758	100.49	14.575	24.8	219.1	219.9	0.1	220	143	76.7	298	0.2191	4563.71	0.22	0.1	-2.8	-2.8	0.22	0	0	2	0	2	0	116.6	9.66	117.6	9.66	8.5	-118.32	51.1
		MEAN VALUE:	753.8	1005.1	0.992	19147.791	100.51	14.577	24.4	257	260	0.12	260.3	169	75.9	297.5	0.257	3890.9	0.26	0.12	-2.7	-2.7	0.26	0	0	5.38	0	5.38	0	149.2	12.46	150.5	12.46	NA	-140.87	50.4
8/2/2023	11:29:53 AM	TS-8	753.8	1005.1	0.992	19147.791	100.51	14.577	24.4	257	260	0.12	260.3	169	75.9	297.5	0.257	3890.9	0.26	0.12	-2.7	-2.7	0.26	0	0	5.38	0	5.38	0	149.2	12.46	150.5	12.46	8.9	-140.87	50.4
		MEAN VALUE:	753.8	1004.9	0.992	19145.758	100.49	14.575	25.4	235.6	234	0.11	233.8	152	77.7	298.5	0.2356	4243.76	0.234	0.11	-3	-3	0.234	0	0	2.88	0	2.88	0	130.9	10.74	132	10.74	NA	-141.73	49.9
8/2/2023	11:40:00 AM	TS-9 (Bank)	753.8	1004.9	0.992	19145.758	100.49	14.575	25.4	235.2	233.3	0.11	233.1	152	77.8	298.6	0.2352	4252.24	0.233	0.11	-3	-3	0.233	0	0	2.97	0	2.97	0	130.2	10.67	131.2	10.67	NA	-140.8	50.4
		MEAN VALUE:	753.8	1005.1	0.992	19147.791